

**JOHN DEERE****John Deere Forestry Oy**

Joensuu tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**DELIVERY ORDER**

U101064



Serial number: 1WJ1010GAKL006043      Delivery date: 13.11.2019  
Model: 0290WJ      Configuration code: 1131278  
Order number: T507070 - 1 - 1

**CONFIGURATION**

| Option  | Description                                             |
|---------|---------------------------------------------------------|
| R0001   | Destination country                                     |
| >> 0135 | >> Finland                                              |
| R0400   | Operator Language                                       |
| >> 0412 | >> Finnish                                              |
| R1000   | Harvesting Head and Fitting                             |
| >> 1000 | >> No Head - No Special Fitting for Any Harvesting Head |
| R1900   | Axles                                                   |
| >> 1917 | >> 8W Axles, 26.5" with long rear bogie                 |
| R2000   | Front Wheels                                            |
| >> 2151 | >> Nokian FK F2 710/26.5 2840mm                         |
| R2500   | Rear Wheels                                             |
| >> 2624 | >> Nokian FK F2 710/26.5 2840mm                         |
| R3000   | Engine                                                  |
| >> 3008 | >> EU Stage V / EPA Tier IV                             |
| R4000   | Load space type and Width                               |
| >> 4009 | >> Regular - 4.0m2 (width 2700mm)                       |
| R4200   | Load Space Length                                       |
| >> 4202 | >> Long Load Space                                      |
| R4600   | Head Board Type and Functions                           |
| >> 4603 | >> Hydraulic Head Board - Horizontally Movable          |
| R5000   | Boom Type and Reach                                     |
| >> 5021 | >> CF5 - 10m Reach Hoses Inside Extension               |
| R5100   | Grapples                                                |
| >> 5109 | >> Hultdins Super Grip 260 S                            |
| R5200   | Link and rotator                                        |
| >> 5236 | >> Weight Scale Link & Indexator GV12-2 or GV12 Rotator |

**JOHN DEERE****John Deere Forestry Oy**

Joensuu tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**DELIVERY ORDER**

| Option  | Description                                                                                        |
|---------|----------------------------------------------------------------------------------------------------|
| R6000   | Control System                                                                                     |
| >> 6001 | >> PC High Spec                                                                                    |
| R6200   | Cabin leveling and rotation                                                                        |
| >> 6208 | >> Rotating and Suspended Leveling Cab with Centr. Greased Cabin Bearing (Option 8191 incl in FRW) |
| R6400   | Work Light Packages                                                                                |
| >> 6413 | >> Full Cabin Work Light Package & Boom & Track & Thinning Lights, LED                             |
| R8100   | Load space extension                                                                               |
| >> 8100 | >> No Load Space Extension                                                                         |
| R8110   | Extra Load Bunk and Stakes                                                                         |
| >> 8110 | >> No Extra Load Bunk and Stakes                                                                   |
| R8130   | Boom Tilt                                                                                          |
| >> 8130 | >> No Boom Tilt                                                                                    |
| R8150   | Boom damping                                                                                       |
| >> 8151 | >> Boom Damping                                                                                    |
| R8160   | IBC (Intelligent Boom Control)                                                                     |
| >> 8161 | >> IBC (Intelligent Boom Control)                                                                  |
| R8180   | Hydraulic oils and hoses                                                                           |
| >> 8180 | >> Mineral Hydraulic Oils                                                                          |
| R8190   | Remote locking and approach light function                                                         |
| >> 8190 | >> No remote locking and approach light function (Fixed cabin only)                                |
| R8200   | Central Lubrication                                                                                |
| >> 8204 | >> Central Lubrication & Lubrication for Jib Boom joint with Filling Pump                          |
| R8220   | Decking Blade                                                                                      |
| >> 8220 | >> No Decking Blade                                                                                |
| R8230   | Clambunk Preparedness                                                                              |
| >> 8230 | >> No Clambunk Preparedness                                                                        |
| R8240   | Towing equipment                                                                                   |
| >> 8242 | >> Towing Pin                                                                                      |
| R8250   | Steps                                                                                              |
| >> 8252 | >> Powered Steps                                                                                   |
| R8260   | Seat                                                                                               |
| >> 8262 | >> Comfort Seat                                                                                    |
| R8270   | Fire Extinguishing System                                                                          |
| >> 8270 | >> No Fire Extinguishing System                                                                    |

**JOHN DEERE****John Deere Forestry Oy**

Joensuu tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**DELIVERY ORDER**

| Option  | Description                                                           |
|---------|-----------------------------------------------------------------------|
| R8280   | Extra Fire Extinguisher                                               |
| >> 8281 | >> Extra Fire Extinguisher                                            |
| R8290   | Electrical Refill Pumps                                               |
| >> 8293 | >> Electrical Hydraulic Oil Refill Pump & Electrical Fuel Refill Pump |
| R8300   | Vacuum Pump and Dryer for Hydraulic System                            |
| >> 8300 | >> No Vacuum Pump & No Dryer for Hydraulic System                     |
| R8310   | Water Separator                                                       |
| >> 8310 | >> No Water Separator for Fuel Line                                   |
| R8320   | Offline filter for hydraulics                                         |
| >> 8320 | >> No offline filter for hydraulics                                   |
| R8340   | Pre-heater                                                            |
| >> 8341 | >> Pre-Heater                                                         |
| R8360   | Engine coolant                                                        |
| >> 8361 | >> Glycol based                                                       |
| R8600   | Cabin Guarding                                                        |
| >> 8604 | >> No Front Window Guarding                                           |
| R8610   | Engine Grille Guard                                                   |
| >> 8613 | >> Engine Grille Mask HD                                              |
| R8630   | Axel Guardings                                                        |
| >> 8633 | >> Wear Plates & Bogie Oscillation Bearing Guards on All Bogies       |
| R8640   | Cabin Top Shield                                                      |
| >> 8640 | >> No Cabin Top Shield                                                |
| R8700   | Camera Systems                                                        |
| >> 8706 | >> Reverse Camera                                                     |
| R8710   | GPS and GIS Equipment                                                 |
| >> 8714 | >> No Software                                                        |
| R8720   | Printer                                                               |
| >> 8720 | >> No Printer for PC                                                  |
| R8730   | Data Transfer                                                         |
| >> 8730 | >> No Data Transfer Equipment                                         |
| R8750   | Electronic Callipers                                                  |
| >> 8750 | >> No Electronic Callipers                                            |
| R8760   | Timberlink                                                            |
| >> 8760 | >> No TimberOffice                                                    |

**JOHN DEERE****John Deere Forestry Oy**

Joensuun tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**DELIVERY ORDER**

| Option  | Description                                                              |
|---------|--------------------------------------------------------------------------|
| R8770   | User Interface                                                           |
| >> 8775 | >> Trackball                                                             |
| R8780   | Sun Blinds                                                               |
| >> 8781 | >> Sun Blinds (in base: Sun Curtain Front Window. FFC with rear curtain) |
| R8790   | Washer and Wiper For Side Windows                                        |
| >> 8791 | >> Washer and Wiper For Side Windows                                     |
| R8800   | Lunch Package                                                            |
| >> 8801 | >> Lunch Box & Food Heater                                               |
| R8810   | Radio                                                                    |
| >> 8811 | >> Premium Radio                                                         |
| R8820   | Extra Storages                                                           |
| >> 8820 | >> No Extra Storages                                                     |
| R8830   | Tool and Gauge Kit                                                       |
| >> 8831 | >> Tool Kit & No Gauge Kit                                               |
| R8850   | Frame Guards                                                             |
| >> 8850 | >> No Frame Guards                                                       |
| R8900   | Road Legislation Kit                                                     |
| >> 8902 | >> Road Legislation Kit - International                                  |
| R8910   | Environmental Kit                                                        |
| >> 8911 | >> Environmental Kit                                                     |
| R8920   | Brand                                                                    |
| >> 8922 | >> John Deere Brand (C&F Grey)                                           |
| R8930   | Clear Coating                                                            |
| >> 8930 | >> No Clear Coating                                                      |
| R8940   | Beacon Light                                                             |
| >> 8940 | >> No Beacon Light                                                       |
| R8990   | Shipping Split                                                           |
| >> 8990 | >> No Shipping Split                                                     |
| RM000   | Range for Model (Used in Cabin)                                          |
| >> M015 | >> 1010G                                                                 |

**JOHN DEERE****John Deere Forestry Oy**

Joensuun tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**LINECARD**

U101064



Serial number: 1WJ1010GAKL006043      Delivery date: 13.11.2019  
Model: 0290WJ      Configuration code: 1131278  
Order number: T507070 - 1 - 1

**SERIAL NUMBER CONTROLLED PARTS**

| Part            | Description                     | Serial number              |
|-----------------|---------------------------------|----------------------------|
| <b>1000</b>     | <b>Power Units</b>              |                            |
| A/C_COMPRESSOR  | Air condition compressor serial | 08B003934                  |
| ALTERNATOR      | Alternator serial               | RE558678 07AUG19<br>M      |
| CHARGE_PUMP     | Charge pump serial              | 294000154107C62045<br>00   |
| DEF_HEADER      | DEF-header serial number        | -                          |
| DOC             | DOC serial                      | DZ107648-REXD2330<br>00046 |
| DPF             | DPF serial                      | DZ104593-REXF2330<br>00149 |
| ECU             | ECU serial                      | 236057                     |
| DZ113946        | Engine serial                   | CD4045U115134              |
| SCR             | SCR serial                      | RE555854-REXR2300<br>00525 |
| START_MOTOR     | Start motor serial              | RE548696 C01940            |
| TURBO           | Turbo serial                    | DZ109308<br>WFM002448      |
| TURBO#2         | Turbo#2 serial                  | RE551109<br>WEM051800      |
| <b>2000</b>     | <b>Hydraulics</b>               |                            |
| AUX_VALVE       | AUX Valve serial                | 38 2019                    |
| BRAKE_VALVE     | Brake Valve serial              | 17196                      |
| DIRECTION_VALVE | Direction Valve serial          | 1942-3427822-001           |

**JOHN DEERE****John Deere Forestry Oy**

Joensuu tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**LINECARD**

| Part               | Description                     | Serial number        |
|--------------------|---------------------------------|----------------------|
| <b>2000</b>        | <b>Hydraulics</b>               |                      |
| DRIVE_MOTOR        | Drive Motor serial              | 15478857             |
| DRIVE_PUMP         | Drive Pump serial               | 91488291             |
| FAN_PUMP           | FAN Pump serial                 | XXX                  |
| FRAME_STEER_VALVE  | Frame Steer Valve serial        | 39/2019              |
| HYDRAULIC_TANK     | Hydraulic Tank serial           | RT111922063          |
| LEVEL_VALVE        | Level Valve serial              | 41/2019              |
| LEVEL_VALVE        | Level Valve serial              | 616                  |
| LIFT_CYLINDER      | Lift Cylinder serial            | 596269               |
| PARALLEL_CYLINDER  | Parallel cylinder serial        | 596290               |
| STEERINGCYLINDER_L | Steering Cylinder left, serial  | 601015               |
| STEERINGCYLINDER_R | Steering Cylinder right, serial | 601017               |
| WORK_PUMP          | Work Pump serial                | 35681318             |
| <b>3000</b>        | <b>Electrical</b>               |                      |
| BOC_MODULE         | BOC Module serial               | -                    |
| MECA_K             | MECA-module, Boom Frame         | 415220               |
| MECA_V             | MECA-module, Engine Frame       | 419563               |
| MTG                | MTG Module serial               | 283177               |
| <b>4000</b>        | <b>Power Train</b>              |                      |
| FRONT_AXLE         | Front Axle serial               | 224/1/118            |
| GEAR_BOX           | Gear Box serial                 | LOK 185-2-5981       |
| REAR_AXLE          | Rear Axle serial                | 233/1/31             |
| <b>5000</b>        | <b>Cabin</b>                    |                      |
| ARMREST_LEFT       | Armrest left, serial            | F708149<br>194324778 |
| ARMREST_RIGHT      | Armrest right, serial           | F708144<br>194224743 |
| CABIN_BEARING      | Cabin Bearing serial            | 2931-19              |
| CABIN_CRADLE       | Cabin Cradle serial             | 19-38-02-596         |
| DOOR_KEY           | Cabin Door Key serial           | 502                  |
| CABIN_FRAME        | Cabin Frame serial              | 19-42-04-203         |
| CABIN_ROT_MOTOR    | Cabin Rotating Motor Serial     | W93924703            |
| CABIN_E            | Cabin serial                    | 5069                 |
| PC                 | PC serial                       | 1409                 |



**JOHN DEERE**

**John Deere Forestry Oy**

Joensuun tehdas  
PL 103  
80101 Joensuu, Finland  
Tel: 02 058 4164, Fax: 02 0584 165

**LINECARD**

| Part                | Description           | Serial number |
|---------------------|-----------------------|---------------|
| <b>5000</b>         | <b>Cabin</b>          |               |
| SEAT                | Seat serial           | 1490030124    |
| <b>6000</b>         | <b>Booms</b>          |               |
| BOOM_EXTENSION      | Boom Extension serial | T53           |
| CRANE_SERIAL        | Crane Serial          | WJ0CF5X005805 |
| GRAPPLE             | Grapple serial        | 044-4446      |
| LIFTING_BOOM_SERIAL | Lifting boom serial   | 1431          |
| LINK                | Link serial           | 11962343      |
| PILLAR              | Pillar serial         | 1430          |
| ROTATOR             | Rotator serial        | 1918095       |
| <b>8000</b>         | <b>Attachments</b>    |               |
| PRE_HEATER          | Pre Heater serial     | 117945EG      |